instructions

Kit 1461

CHEVROLET Colorado, 4-dr Double Cab, 04–
CHEVROLET Colorado, 4-dr Extended Cab, 04–
CHEVROLET Colorado, 4-dr Crew Cab, *04–
CHEVROLET Colorado, 4-dr Extra Cab, *04–
GMC Canyon, 4-dr Crew Cab, *04–
GMC Canyon, 4-dr Extra Cab, *04–
GREAT WALL V240, 4-dr Double Cab, 09–
GREAT WALL Steed, 4-dr Double Cab, 09–
GREAT WALL Wingle, 4-dr Double Cab, 06–
ISUZU D-max, 4-dr Double Cab, 02–
ISUZU D-max, 4-dr Extended Cab, 02–
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09

***North America**





754 Rapid System
480R Rapid Traverse (North America)





480 Traverse (North America)

ISO 11154-E

THULE® SWEDEN

c.20110505. 503-1461-04


xx kg
xx lbs
+
7 kg
15,4 lbs
=
Max.
60 kg
Max.
132 lbs


80 km/h
50 Mph
130 km/h
80 Mph
40 km/h
25 Mph
0
km/h
Mph


THULE
instructions
Kit XXXX
THULE


x 4
754 Rapid System
x 4
480R Rapid Traverse
(North America)
x 1
x 4
x 4
754 Rapid System
480R Rapid Traverse (North America)
x 1
x 4
x 4
x 4
480 Traverse (North America)


x 2
x 2
23 mm
x 2
x 4
x 4
x 1
17 mm
x 2
23 mm
x 2
x 4
(North America)
x 2
23 mm
x 2
x 2


95
x 4
02
x 4
RR
FR
FL
RL
x 1

1



2

754 Rapid System
480R Rapid Traverse
(North America)





x4





x4



x4

480 Traverse
(North America)





x4

3



754 Rapid System



	X
CHEVROLET Colorado, 4-dr Double Cab, 04–	34
CHEVROLET Colorado, 4-dr Extended Cab, 04–	34
CHEVROLET Colorado, 4-dr Crew Cab, *04–	34
CHEVROLET Colorado, 4-dr Extra Cab, *04–	34
GMC Canyon, 4-dr Crew Cab, *04–	34
GMC Canyon, 4-dr Extra Cab, *04–	34
GREAT WALL V240, 4-dr Double Cab, 09–	34
GREAT WALL Steed, 4-dr Double Cab, 09–	34
GREAT WALL Wingle, 4-dr Double Cab, 06–	34
ISUZU D-max, 4-dr Double Cab, 02–	34
ISUZU D-max, 4-dr Extended Cab, 02–	34
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	34
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	34



	Y
CHEVROLET Colorado, 4-dr Double Cab, 04–	32
CHEVROLET Colorado, 4-dr Extended Cab, 04–	32
CHEVROLET Colorado, 4-dr Crew Cab, *04–	32
CHEVROLET Colorado, 4-dr Extra Cab, *04–	32
GMC Canyon, 4-dr Crew Cab, *04–	32
GMC Canyon, 4-dr Extra Cab, *04–	32
GREAT WALL V240, 4-dr Double Cab, 09–	32
GREAT WALL Steed, 4-dr Double Cab, 09–	32
GREAT WALL Wingle, 4-dr Double Cab, 06–	32
ISUZU D-max, 4-dr Double Cab, 02–	32
ISUZU D-max, 4-dr Extended Cab, 02–	32
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	32
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	32

4



3

Traverse

(North America)



	X inch	**X** mm
CHEVROLET Colorado, 4-dr Double Cab, 04–	**39** ”	**991** mm
CHEVROLET Colorado, 4-dr Extended Cab, 04–	**39** ”	**991** mm
CHEVROLET Colorado, 4-dr Crew Cab, *04–	**39** ”	**991** mm
CHEVROLET Colorado, 4-dr Extra Cab, *04–	**39** ”	**991** mm
GMC Canyon, 4-dr Crew Cab, *04–	**39** ”	**991** mm
GMC Canyon, 4-dr Extra Cab, *04–	**39** ”	**991** mm
GREAT WALL V240, 4-dr Double Cab, 09–	**39** ”	**991** mm
GREAT WALL Steed, 4-dr Double Cab, 09–	**39** ”	**991** mm
GREAT WALL Wingle, 4-dr Double Cab, 06–	**39** ”	**991** mm
ISUZU D-max, 4-dr Double Cab, 02–	**39** ”	**991** mm
ISUZU D-max, 4-dr Extended Cab, 02–	**39** ”	**991** mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	**39** ”	**991** mm
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	**39** ”	**991** mm



	Y inch	**Y** mm
CHEVROLET Colorado, 4-dr Double Cab, 04–	**38 1/4** ”	**971** mm
CHEVROLET Colorado, 4-dr Extended Cab, 04–	**38 1/4** ”	**971** mm
CHEVROLET Colorado, 4-dr Crew Cab, *04–	**38 1/4** ”	**971** mm
CHEVROLET Colorado, 4-dr Extra Cab, *04–	**38 1/4** ”	**971** mm
GMC Canyon, 4-dr Crew Cab, *04–	**38 1/4** ”	**971** mm
GMC Canyon, 4-dr Extra Cab, *04–	**38 1/4** ”	**971** mm
GREAT WALL V240, 4-dr Double Cab, 09–	**38 1/4** ”	**971** mm
GREAT WALL Steed, 4-dr Double Cab, 09–	**38 1/4** ”	**971** mm
GREAT WALL Wingle, 4-dr Double Cab, 06–	**38 1/4** ”	**971** mm
ISUZU D-max, 4-dr Double Cab, 02–	**38 1/4** ”	**971** mm
ISUZU D-max, 4-dr Extended Cab, 02–	**38 1/4** ”	**971** mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	**38 1/4** ”	**971** mm
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	**38 1/4** ”	**971** mm

4



5

CHEVROLET Colorado, 4-dr Double Cab, 04–
CHEVROLET Colorado, 4-dr Extended Cab, 04–
CHEVROLET Colorado, 4-dr Crew Cab, *04–
CHEVROLET Colorado, 4-dr Extra Cab, *04–
GMC Canyon, 4-dr Crew Cab, *04–
GMC Canyon, 4-dr Extra Cab, *04–
GREAT WALL V240, 4-dr Double Cab, 09–
GREAT WALL Steed, 4-dr Double Cab, 09–
GREAT WALL Wingle, 4-dr Double Cab, 06–
ISUZU D-max, 4-dr Double Cab, 02–
ISUZU D-max, 4-dr Extended Cab, 02–
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09







6





	X mm	Y mm	X inch	Y inch
CHEVROLET Colorado, 4-dr Double Cab, 04–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
CHEVROLET Colorado, 4-dr Extended Cab, 04–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
CHEVROLET Colorado, 4-dr Crew Cab, *04–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
CHEVROLET Colorado, 4-dr Extra Cab, *04–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
GMC Canyon, 4-dr Crew Cab, *04–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
GMC Canyon, 4-dr Extra Cab, *04–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
GREAT WALL V240, 4-dr Double Cab, 09–	**380** mm	**650** mm	**15** ”	**25 5/8** ”
GREAT WALL Steed, 4-dr Double Cab, 09–	**380** mm	**650** mm	**15** ”	**25 5/8** ”
GREAT WALL Wingle, 4-dr Double Cab, 06–	**380** mm	**650** mm	**15** ”	**25 5/8** ”
ISUZU D-max, 4-dr Double Cab, 02–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
ISUZU D-max, 4-dr Extended Cab, 02–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	**380** mm	**750** mm	**15** ”	**29 1/2** ”
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”





7



GB/US	Tighten alternately
D	Die Schrauben abwechselnd anziehen
F	Serrer alternativement chaque côté
NL	Afwisselend aan de linker- en de rechterkant aandraaien
I	Alternare il serraggio delle viti
E	Apretar alternativamente
PT	Aperte alternadamente
S	Dra åt växelvis
FIN	Kierrä vuorotellen
EST	Pinguldage vaheldumisi
LAT	Pievelciet pamīšus
LIT	Užsukinėkite pakaitomis
PL	Śruby dokręcaj naprzemiennie
RU	Затягивайте попеременно
CZ	Pokrętła bagażnika dokręcaj dokręcaj naprzemiennie.
SK	Dotiahujte striedavo
SLO	Privijajte izmenično.
HR	Naizmjenično zategnite
HU	Egymástól függetlenül szorítandó
GR	Σφίγγετε εναλάξ
TR	Dönüşümlü sıkın
中文	交替拧紧
한국어	번갈아 가며 조이십시오.
日本語	交互に締め付けてください。
ไทย	ขันในแบบสลับ









≈ 3 Nm





8

x1
17 mm











WW Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA
info@thule.com
customer.service@thule.com
www.thule.com





ww
NA
Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA
info@thule.com
customer.service@thule.com
www.thule.com

7



GB/US	Tighten alternately
D	Die Schrauben abwechselnd anziehen
F	Serrer alternativement chaque côté
NL	Afwisselend aan de linker- en de rechterkant aandraaien
I	Alternare il serraggio delle viti
E	Apretar alternativamente
PT	Aperte alternadamente
S	Dra åt växelvis
FIN	Kierrä vuorotellen
EST	Pinguldage vaheldumisi
LAT	Pievelciet pamīšus
LIT	Užsukinėkite pakaitomis
PL	Śruby dokręcaj naprzemiennie
RU	Затягивайте попеременно
CZ	Pokrętła bagażnika dokręcaj dokręcaj naprzemiennie.
SK	Dotiahujte striedavo
SLO	Privijajte izmenično.
HR	Naizmjenično zategnite
HU	Egymástól függetlenül szorítandó
GR	Σφίγγετε εναλάξ
TR	Dönüşümlü sıkın
中文	交替拧紧
한국어	번갈아 가며 조이십시오.
日本語	交互に締め付けてください。
ไทย	ขันในแบบสลับ



8



x2
25mm



6





	X mm	Y mm	X inch	Y inch
CHEVROLET Colorado, 4-dr Double Cab, 04–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
CHEVROLET Colorado, 4-dr Extended Cab, 04–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
CHEVROLET Colorado, 4-dr Crew Cab, *04–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
CHEVROLET Colorado, 4-dr Extra Cab, *04–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
GMC Canyon, 4-dr Crew Cab, *04–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
GMC Canyon, 4-dr Extra Cab, *04–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
GREAT WALL V240, 4-dr Double Cab, 09–	**380** mm	**650** mm	**15** ”	**25 5/8** ”
GREAT WALL Steed, 4-dr Double Cab, 09–	**380** mm	**650** mm	**15** ”	**25 5/8** ”
GREAT WALL Wingle, 4-dr Double Cab, 06–	**380** mm	**650** mm	**15** ”	**25 5/8** ”
ISUZU D-max, 4-dr Double Cab, 02–	**380** mm	**750** mm	**15** ”	**29 1/2** ”
ISUZU D-max, 4-dr Extended Cab, 02–	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	**380** mm	**750** mm	**15** ”	**29 1/2** ”
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	**250** mm	**680** mm	**9 7/8** ”	**26 3/4** ”



5

CHEVROLET Colorado, 4-dr Double Cab, 04–
CHEVROLET Colorado, 4-dr Extended Cab, 04–
CHEVROLET Colorado, 4-dr Crew Cab, *04–
CHEVROLET Colorado, 4-dr Extra Cab, *04–
GMC Canyon, 4-dr Crew Cab, *04–
GMC Canyon, 4-dr Extra Cab, *04–
GREAT WALL V240, 4-dr Double Cab, 09–
GREAT WALL Steed, 4-dr Double Cab, 09–
GREAT WALL Wingle, 4-dr Double Cab, 06–
ISUZU D-max, 4-dr Double Cab, 02–
ISUZU D-max, 4-dr Extended Cab, 02–
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09







3





1



2

	X inch	X mm
CHEVROLET Colorado, 4-dr Double Cab, 04–	**39** ”	**991** mm
CHEVROLET Colorado, 4-dr Extended Cab, 04–	**39** ”	**991** mm
CHEVROLET Colorado, 4-dr Crew Cab, *04–	**39** ”	**991** mm
CHEVROLET Colorado, 4-dr Extra Cab, *04–	**39** ”	**991** mm
GMC Canyon, 4-dr Crew Cab, *04–	**39** ”	**991** mm
GMC Canyon, 4-dr Extra Cab, *04–	**39** ”	**991** mm
GREAT WALL V240, 4-dr Double Cab, 09–	**39** ”	**991** mm
GREAT WALL Steed, 4-dr Double Cab, 09–	**39** ”	**991** mm
GREAT WALL Wingle, 4-dr Double Cab, 06–	**39** ”	**991** mm
ISUZU D-max, 4-dr Double Cab, 02–	**39** ”	**991** mm
ISUZU D-max, 4-dr Extended Cab, 02–	**39** ”	**991** mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	**39** ”	**991** mm
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	**39** ”	**991** mm



1



2

	Y inch	Y mm
CHEVROLET Colorado, 4-dr Double Cab, 04–	**38** 1/4”	**971** mm
CHEVROLET Colorado, 4-dr Extended Cab, 04–	**38** 1/4”	**971** mm
CHEVROLET Colorado, 4-dr Crew Cab, *04–	**38** 1/4”	**971** mm
CHEVROLET Colorado, 4-dr Extra Cab, *04–	**38** 1/4”	**971** mm
GMC Canyon, 4-dr Crew Cab, *04–	**38** 1/4”	**971** mm
GMC Canyon, 4-dr Extra Cab, *04–	**38** 1/4”	**971** mm
GREAT WALL V240, 4-dr Double Cab, 09–	**38** 1/4”	**971** mm
GREAT WALL Steed, 4-dr Double Cab, 09–	**38** 1/4”	**971** mm
GREAT WALL Wingle, 4-dr Double Cab, 06–	**38** 1/4”	**971** mm
ISUZU D-max, 4-dr Double Cab, 02–	**38** 1/4”	**971** mm
ISUZU D-max, 4-dr Extended Cab, 02–	**38** 1/4”	**971** mm
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09	**38** 1/4”	**971** mm
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09	**38** 1/4”	**971** mm

4

x 2 16mm





1



2












xx kg
xx lbs
+
7 kg
15,4 lbs
=
Max.
60 kg
Max.
132 lbs


80 km/h
50 Mph
130 km/h
80 Mph
40 km/h
25 Mph
0
km/h
Mph


THULE
instructions
Kit XXXX
THULE


x1
x4
x4
480R/754


x2 16mm
x2 25mm
x2
x2
x2
x4
x4
x1 5mm


95
x4
02
x4
RR
FR
FL
RL
x1

instructions

Kit 1461

CHEVROLET Colorado, 4-dr Double Cab, 04–
CHEVROLET Colorado, 4-dr Extended Cab, 04–
CHEVROLET Colorado, 4-dr Crew Cab, *04–
CHEVROLET Colorado, 4-dr Extra Cab, *04–
GMC Canyon, 4-dr Crew Cab, *04–
GMC Canyon, 4-dr Extra Cab, *04–
GREAT WALL V240, 4-dr Double Cab, 09–
GREAT WALL Steed, 4-dr Double Cab, 09–
GREAT WALL Wingle, 4-dr Double Cab, 06–
ISUZU D-max, 4-dr Double Cab, 02–
ISUZU D-max, 4-dr Extended Cab, 02–
ISUZU I-280/I-290, 4-dr Crew Cab, *06-09
ISUZU I-350/I-370, 4-dr Extra Cab, *06-09

***North America**



480R
754

THULE® SWEDEN
PROFESSIONAL

ISO 11154-E

c.20110505. 503-1461-04